DIRECTION FOR USE:

PLACES / SITUATION	PESTS	USAGE RATE PER 1 LITRE WATER	SPRAY VOLUME PER M ²	REMARKS
Public health: kitchen, cabinet, floor, walls, under the sink, corners, cracks and crevices.	Flies (Musca (Musca domestica) Cockroaches (Periplaneta americana; Blattella germanica)	5 ml (1 : 200)	50 ml	Effective period is 2 months.

USAGE	PEST	TREAT- MENT	USAGE DILUTION RATE	APPLICA- TION RATE	REMARK
Wood Treatment	(Lyctus sp. or Xyleborus	Residual Spray	5 ml / litre diesel (1:200)	100 ml / m²	Efficacy Residual 3-6 months
	sp.) Termite (Crytotermes sp.; Reticulit -ermes sp.)	Dyeing	20 ml / 10 litre water (1:500)	-	Wood cut into pieces must be soaked with chemical solution inside the dyeing drum for 3 minutes. Efficacy Residual is 3 years.



For more information please contact:

Bayer Co. (Malaysia) Sdn Bhd (7563 M) B-19-1 & B-19-2, The Ascent Paradigm, No. 1, Jalan SS 7/26A, Kelana Jaya, 47301 Petaling Jaya, Selangor, Malaysia. Tel.: 03-7801 3121 Fax: 03-7886 3993 Email: es.malaysia@bayer.com


READ THE LABEL BEFORE USE

JIRP. P/0615/340



THIS IS A PESTICIDE ADVERTISEMENT


TO BE HANDLED BY TRAINED PERSONNEL ONLY.





BAYER CISIN®

Effective Residual spray combining effective 'flush-out', knockdown and kill




Cislin has effective knockdown and 'flushing-out' action

That explains the high level of insecticidal activity. Even if the spray does not reach the pests, they would be irritated by the vapour in the air to leave their hiding places. In so doing, they'll come into contact with the sprayed surfaces and get killed.



It is photostable

Depending on the type of surfaces and the extent of infestation, the residual effect could last up to 2 months, provided the surfaces is not cleaned or washed.



Cislin is an Emulsifiable Concentrate

Emulsifiable Concentrate: a solution of active ingredient and surfactants in a water immiscible solvent. which forms a stable emulsion after dilution with water. These emulsions leave few visible deposits on the treated surface; however, diluted emulsifiable concentrates can have a strong smell and are absorbed by porous surfaces.

The potent synthetic pyrethroid

Cislin contains 2.8% w/w deltamethrin that is single isomer.

Use as a surface spray...

		Indoors	Outdoors
Surface Spray (diluted)	Direct Contact	✓	√
	Residual Spray	1	1

See label for full details.





Direction for Use and Application Guide

Dilute Cislin at the rate of 5 ml in 1 liter of clean water. Spray using sprayer fitted with fan nozzle that gives a coarse spray to surfaces at 50 ml per sq meter.