

Syngenta Crop Protection Sdn Bhd (437832-V)

MR1-02-02, Sri Acappella Commercial Annex, No 1, Jalan Lompat Tinggi 13/33, Seksyen 13, 40100 Shah Alam, Selangor Darul Ehsan. Tel: 03-5510 9878 Talian Kecemasan: 1-800-806-294 E-mel: crm.support@syngenta.com

PLEASE READ THE PRODUCT LABEL BEFORE USE



JIRP. P/0408/145

MATIKUS is an effective rodenticide. MATIKUS combines the good features of single feeding and chronic anticoagulant effects of the active ingredient brodifacoum into a palatable bait for rodents.

It's easy to apply.



Fruit of oil palm being damaged by rodents



Healthy oil palm fruit



Place one bait at base of each palm



Replace all baits taken after 7-10 days

DIRECTIONS FOR USE: OIL PALM

Method of Baiting

Commence baiting programme when fresh fruit damage > 5%.

- 1. Place one bait at base of each palm.
- 2. Replace all baits taken after 7-10 days.
- 3. 3-4 rounds of baiting would generally be adequate for normal rat infestation.
- 4. 2 baiting campaigns covering as large an area as possible are recommended.

Remarks

Fresh fruit damage census is taken once a month, each time before any harvesting rounds. A 10% sample of the palms in each representative fields / block is adequate.

- * APPLY BAIT IN CONTAINER.
- * THIS PRODUCT IS NOT RECOMMENDED IF BARN OWL IS USED FOR RAT CONTROL.